

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019 Reviewed on 12/04/2018

### 1 Identification

- · Product Identifier
- · Trade Name: Lens Clens #2
- Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Lens Clens
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

General Production Services – Division of GPS Inc.

www.lensclens.com

2771 Saturn Street Unit-C Brea, California 92821 U.S.A.

714-535-2271 (for product infromation)

questions@lensclens.com (email)

· Emergency telephone number:

**INFOTRAC** 

Emergency telephone number in the USA 800-535-5053

Emergency telephone number outside the USA 352-323-3500

Customer # 93269

### 2 Hazard(s) Identification

· Classification of the substance or mixture:



Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements:
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS02 GHS07

· Signal word: Danger

· Hazard statements:

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019 Reviewed on 12/04/2018

#### Trade Name: Lens Clens #2

P243 Take precautionary measures against static discharge.

Wash thoroughly after handling. P264

P280 Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water. P302+P352

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). P321 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention. P332+P313 Take off contaminated clothing and wash it before reuse. P362+P364 If eye irritation persists: Get medical advice/attention. P337+P313

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

· Unknown acute toxicity:

0 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 2Fire = 3Reactivity = 0

### · HMIS-ratings (scale 0 - 4)



Health = 2Fire = 3

REACTIVITY 0

Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

## Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture: consisting of the following components.

| · Dangerous Components: |   |        |
|-------------------------|---|--------|
| CAS: 64-17-5            | Ethanol   | 15-35% |
| RTECS: KQ 6300000       | Flam. Liq. 2, H225; Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320 |        |
| CAS: 67-63-0            | Isopropyl alcohol   | ≤ 2.5% |
| RTECS: NT 8050000       | Flam. Liq. 2, H225;   Sye Irrit. 2A, H319; STOT SE 3, H336                    |        |
| CAS: 67-64-1            | Acetone   | ≤ 2.5% |
| RTECS: AL 3150000       | 🚸 Flam. Liq. 2, H225; 🕚 Eye Irrit. 2A, H319; STOT SE 3, H336                  |        |

· Additional information: All ingredients are in compliance with RoHS Directive 2011/65/EU (RoHS 2).

### 4 First-Aid Measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019 Reviewed on 12/04/2018

Trade Name: Lens Clens #2

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

#### · After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## 5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

## Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

#### · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

#### Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

### Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

- · Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

#### Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019 Reviewed on 12/04/2018

Trade Name: Lens Clens #2

· Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s): No further relevant information available.

## 8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:

| · Compone                                   | · Components with occupational exposure limits:                         |  |  |
|---|---|--|--|
| 64-17-5 Ethanol                             |   |  |  |
| PEL Long                                    | g-term value: 1900 mg/m³, 1000 ppm                                      |  |  |
| REL Long                                    | g-term value: 1900 mg/m³, 1000 ppm                                      |  |  |
| TLV Shor                                    | ort-term value: 1880 mg/m³, 1000 ppm                                    |  |  |
| 67-63-0 Is                                  | 67-63-0 Isopropyl alcohol   |  |  |
| PEL Long                                    | g-term value: 980 mg/m³, 400 ppm  |  |  |
|   | ort-term value: 1225 mg/m³, 500 ppm<br>g-term value: 980 mg/m³, 400 ppm |  |  |
|   | ort-term value: 984 mg/m³, 400 ppm<br>g-term value: 492 mg/m³, 200 ppm  |  |  |
| 67-64-1 A                                   | Acetone   |  |  |
| PEL Long                                    | g-term value: 2400 mg/m³, 1000 ppm                                      |  |  |
| REL Long                                    | g-term value: 590 mg/m³, 250 ppm  |  |  |
|   | ort-term value: 1187 mg/m³, 500 ppm<br>g-term value: 594 mg/m³, 250 ppm |  |  |
| · Ingredients with biological limit values: |   |  |  |
| 67-63-0 Isopropyl alcohol                   |   |  |  |
| BEI 40 m                                    | ng/L  |  |  |
| urine                                       |   |  |  |

- Acetone (nonspecific)

   Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:

67-64-1 Acetone
BEI 50 mg/L
urine
end of shift

- Personal protective equipment
- General protective and hygienic measures:

end of shift at end of workweek Acetone (background, nonspecific)

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019 Reviewed on 12/04/2018

Trade Name: Lens Clens #2

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

### 9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Color: Yellow Odour: Slight

· Odor threshold: Not determined.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Flash point:
Flammability (solid, gaseous):
Ignition temperature:
Decomposition temperature:
Not determined.
78 °C (172.4 °F)
Not applicable.
425 °C (797 °F)
Not determined.

· **Auto igniting:** Product is not self-igniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor

mixtures are possible.

· Explosion limits:

**Lower:** 0.0 Vol % **Upper:** 15.0 Vol %

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019 Reviewed on 12/04/2018

Trade Name: Lens Clens #2

· Vapor pressure @ 20 °C (68 °F): 59 hPa (44.3 mm Hg)

48 mmHq

• **Density @ 20 °C (68 °F):** 0.79 g/cm³ (6.5926 lbs/gal)

Relative density: Not determined.Vapor density: Not determined.

Evaporation rate: 3.1

· Solubility in / Miscibility with:

Water: Fully miscible.

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

 Organic solvents:
 23.1 %

 Water:
 76.9 %

 VOC content:
 21.2 %

167.1 g/l / 1.39 lb/gl

· Other information: No further relevant information available.

## 10 Stability and Reactivity

· Reactivity:

No further relevant information available.

The product is stable under normal conditions

No further relevant information available.

- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Heat, flame and ignition sources.
- · Incompatible materials: Strong acids, strong bases, strong oxidizing agents and strong reducing agents.
- · Hazardous decomposition products:

Carbon dioxide and carbon monoxide may form when heated to decomposition.

### 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

| · LD/LC50 values that are relevant for classification: |                 |  |  |
|--|-----------------|--|--|
| 64-17-5  | 64-17-5 Ethanol |  |  |
| Oral   | LD50            | 7060 mg/kg (Rat) Remarks: Lungs, Thorax, or Respiration: Other changes. Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease. Central nervous system depression, narcosis, Damage to the heart., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Heart - Irregularities - Based on Human Evidence Central nervous system - Breathing difficulties - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence |  |

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019 Reviewed on 12/04/2018

Trade Name: Lens Clens #2

| Inhalative | LC50/4 h                  | 20000 mg/l (Rat)          |  |
|------------|---------------------------|---------------------------|--|
|            | LC50/96 hours             | 12900-15300 mg/l (Trout)  |  |
| 67-63-0 Is | 67-63-0 Isopropyl alcohol |                           |  |
| Oral       | LD50                      | 5045 mg/kg (Rat)          |  |
| Dermal     | LD50                      | 12800 mg/kg (Rabbit)      |  |
| Inhalative | LC50/4 h                  | 30 mg/l (Rat)             |  |
|            | LC50/96 hours             | 9640 mg/l (Pimephales)    |  |
| 67-64-1 A  | 67-64-1 Acetone           |                           |  |
| Oral       | LD50                      | 5800 mg/kg (Rat)          |  |
| Dermal     | LD50                      | 20000 mg/kg (Rabbit)      |  |
| Inhalative | LC50/4 h                  | 5549 mg/l (Trout) (96 hr) |  |

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

İrritant

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

| 67-63-0 Isopropyl alcohol 3                              |  |
|--|--|
| · NTP (National Toxicology Program):                     |  |
| None of the ingredients are listed.                      |  |
| · OSHA-Ca (Occupational Safety & Health Administration): |  |
| None of the ingredients are listed.                      |  |

### 12 Ecological Information

· Toxicity:

| · Aquat                             | · Aquatic toxicity:       |  |
|-------------------------------------|---------------------------|--|
| 64-17                               | 64-17-5 Ethanol           |  |
| EC50                                | EC50 34900 mg/l (Daphnia) |  |
| 67-63                               | 67-63-0 Isopropyl alcohol |  |
| EC50                                | 6851 mg/l (Green algae)   |  |
|                                     | 5102 mg/l (Water flea)    |  |
| 67-64-1 Acetone                     |                           |  |
| EC50 6100 mg/l (Pimephales) (48 hr) |                           |  |

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · *Mobility in soil:* No further relevant information available.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019 Reviewed on 12/04/2018

Trade Name: Lens Clens #2

- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

## 3 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Can be disposed of with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

### 4 Transport Information

· UN-Number:

· DOT, ADR/ADN, IMDG, IATA

UN1993

· UN proper shipping name:

· DOT Flammable liquids, n.o.s. (Ethanol, Acetone)

· ADR/ADN UN1993 Flammable liquids, n.o.s. (Ethanol, Acetone)

· IMDG FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL),

ACETONE)

· IATA · Transport hazard class(es):

FLAMMABLE LIQUID, N.O.S. (ETHANOL, ACETONE)

· DOT, IMDG, IATA



· Class: 3 Flammable liquids

· Label:

· ADR/ADN



3 (F1) Flammable liquids · Class:

· Label:

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Ш

· Environmental hazards: Not applicable.

· Special precautions for user: Warning: Flammable liquids

· Danger code (Kemler): 33

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019 Reviewed on 12/04/2018

Trade Name: Lens Clens #2

· **EMS Number:** F-E,S-E

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· Transport/Additional information:

· DOT

• **Quantity limitations:**On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L

· Remarks: ERG Number: 128

· ADR/ADN

· Excepted quantities (EQ): Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· IMDG

· Limited quantities (LQ):

Excepted quantities (EQ): Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 1993 FLAMMABLE LIQUIDS, N.O.S. (ETHANOL,

ACETONE), 3, II

#### 15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 Isopropyl alcohol

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempt from listing.

· California Proposition 65:

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

64-17-5 Ethanol

· Carcinogenic categories:

· EPA (Environmental Protection Agency):

67-64-1 Acetone

· TLV (Threshold Limit Value established by ACGIH):

64-17-5 Ethanol A3
67-63-0 Isopropyl alcohol A4

(Contd. on page 10)

1



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019 Reviewed on 12/04/2018

Trade Name: Lens Clens #2

67-64-1 Acetone A4

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





GHS02 GHS07

- · Signal word: Danger
- · Hazard statements:

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of preparation / last revision: 01/31/2019 / 4
- · Abbreviations and acronvms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019 Reviewed on 12/04/2018

#### Trade Name: Lens Clens #2

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106