

# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019

Reviewed on 12/04/2018

## \* 1 Identification

· **Product Identifier**

· **Trade Name: Lens Clens #3**

· **Relevant identified uses of the substance or mixture and uses advised against:**

· **Product Description:** Lens Clens

· **Details of the Supplier of the Safety Data Sheet:**

· **Manufacturer/Supplier:**

General Production Services – Division of GPS Inc.

[www.lensclens.com](http://www.lensclens.com)

2771 Saturn Street Unit-C

Brea, California 92821 U.S.A.

714-535-2271 (for product information)

questions@lensclens.com (email)

· **Emergency telephone number:**

INFOTRAC

Emergency telephone number in the USA 800-535-5053

Emergency telephone number outside the USA 352-323-3500

Customer # 93269

## 2 Hazard(s) Identification

· **Classification of the substance or mixture:**



Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· **Label elements:**

· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS02 GHS07

· **Signal word:** Danger

· **Hazard-determining components of labeling:**

Isopropyl alcohol

· **Hazard statements:**

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· **Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019

Reviewed on 12/04/2018

### Trade Name: Lens Clens #3

- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a poison center/doctor if you feel unwell.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Unknown acute toxicity:**

0 % of the mixture consists of component(s) of unknown toxicity.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMS-ratings (scale 0 - 4)**

|            |   |                     |
|------------|---|---------------------|
| HEALTH     | 2 | Health = 2          |
| FIRE       | 3 | Fire = 3            |
| REACTIVITY | 0 | Physical Hazard = 0 |

· **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture: consisting of the following components.

· **Dangerous Components:**

|                   |  |        |
|-------------------|--|--------|
| CAS: 67-63-0      | Isopropyl alcohol  | 90-99% |
| RTECS: NT 8050000 | ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2A, H319; STOT SE 3, H336 |        |

· **Additional information:** All ingredients are in compliance with RoHS Directive 2011/65/EU (RoHS 2).

### 4 First-Aid Measures

· **Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Generally, the product does not irritate the skin.

· **After eye contact:**

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If swallowed and symptoms occur, consult a doctor.

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019

Reviewed on 12/04/2018

**Trade Name: Lens Clens #3**

- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

### \* 5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect from heat.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.
- **Specific end use(s):** No further relevant information available.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019

Reviewed on 12/04/2018

**Trade Name: Lens Clens #3**

### 8 Exposure Controls/Personal Protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters:**

· **Components with occupational exposure limits:**

#### 67-63-0 Isopropyl alcohol

|     |  |
|-----|--|
| PEL | Long-term value: 980 mg/m <sup>3</sup> , 400 ppm   |
| REL | Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm<br>Long-term value: 980 mg/m <sup>3</sup> , 400 ppm       |
| TLV | Short-term value: 984 mg/m <sup>3</sup> , 400 ppm<br>Long-term value: 492 mg/m <sup>3</sup> , 200 ppm<br>BEI |

· **Ingredients with biological limit values:**

#### 67-63-0 Isopropyl alcohol

|     |  |
|-----|--|
| BEI | 40 mg/L<br>urine<br>end of shift at end of workweek<br>Acetone (background, nonspecific) |
|-----|--|

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls:**

· **Personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:** Not required.

· **Material of gloves:** Not required.

· **Penetration time of glove material:** Not applicable.

· **Eye protection:**



Tightly sealed goggles

### 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: Clear

· **Odour:** Slight

· **Odor threshold:** Not determined.

· **Change in condition**

Melting point/Melting range: -89.5 °C (-129.1 °F)

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019

Reviewed on 12/04/2018

**Trade Name: Lens Clens #3**

|   |  |
|---|--|
| <b>Boiling point/Boiling range:</b>               | 83 °C (181.4 °F)   |
| · <b>Flash point:</b>                             | 12 °C (53.6 °F)  |
| · <b>Flammability (solid, gaseous):</b>           | Not applicable.  |
| · <b>Ignition temperature:</b>                    | 456 °C (852.8 °F)  |
| · <b>Decomposition temperature:</b>               | Not determined.  |
| · <b>Auto igniting:</b>                           | Product is not self-igniting.  |
| · <b>Danger of explosion:</b>                     | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| · <b>Explosion limits:</b>                        |  |
| <b>Lower:</b>                                     | 2 Vol %  |
| <b>Upper:</b>                                     | 12 Vol %   |
| · <b>Vapor pressure @ 38 °C (100.4 °F):</b>       | 42 hPa (31.5 mm Hg)  |
| · <b>Density @ 20 °C (68 °F):</b>                 | 0.785 g/cm <sup>3</sup> (6.5508 lbs/gal)   |
| · <b>Relative density:</b>                        | Not determined.  |
| · <b>Vapor density:</b>                           | Not determined.  |
| · <b>Solubility in / Miscibility with:</b>        |  |
| <b>Water @ 20 °C (68 °F):</b>                     | 1 g/l  |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.  |
| · <b>Viscosity:</b>                               |  |
| <b>Dynamic:</b>                                   | Not determined.  |
| <b>Kinematic:</b>                                 | Not determined.  |
| · <b>Solvent content:</b>                         |  |
| <b>Organic solvents:</b>                          | 99.0 %   |
| <b>VOC content:</b>                               | 99.0 %   |
| · <b>Other information:</b>                       | No further relevant information available.   |

**10 Stability and Reactivity**

- **Reactivity:**  
 No further relevant information available.  
 The product is stable under normal conditions  
 No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Heat, flame and ignition sources.
- **Incompatible materials:** Strong acids, strong bases, strong oxidizing agents and strong reducing agents.
- **Hazardous decomposition products:**  
 Carbon dioxide and carbon monoxide may form when heated to decomposition.

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019

Reviewed on 12/04/2018

**Trade Name: Lens Clens #3**

### 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**67-63-0 Isopropyl alcohol**

|            |               |                        |
|------------|---------------|------------------------|
| Oral       | LD50          | 5045 mg/kg (Rat)       |
| Dermal     | LD50          | 12800 mg/kg (Rabbit)   |
| Inhalative | LC50/4 h      | 30 mg/l (Rat)          |
|            | LC50/96 hours | 9640 mg/l (Pimephales) |

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** Irritating effect.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**  
Group 1 - Carcinogenic to humans  
Group 2A - Probably carcinogenic to humans  
Group 2B - Possibly carcinogenic to humans  
Group 3 - Not classifiable as to its carcinogenicity to humans  
Group 4 - Probably not carcinogenic to humans

|                           |   |
|---------------------------|---|
| 67-63-0 Isopropyl alcohol | 3 |
|---------------------------|---|

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

### 12 Ecological Information

· **Toxicity:**

· **Aquatic toxicity:**

**67-63-0 Isopropyl alcohol**

|      |                         |
|------|-------------------------|
| EC50 | 6851 mg/l (Green algae) |
|      | 5102 mg/l (Water flea)  |

- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019

Reviewed on 12/04/2018

**Trade Name: Lens Clens #3**

- **Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**  
Can be disposed of with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.  
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport Information

- **UN-Number:** UN1219
- **DOT, ADR/ADN, IMDG, IATA** UN1219
- **UN proper shipping name:** Isopropanol solution
- **DOT** UN1219 Isopropanol solution
- **ADR/ADN** ISOPROPANOL (ISOPROPYL ALCOHOL) solution
- **IMDG, IATA**
- **Transport hazard class(es):**
- **DOT, IMDG, IATA**



- **Class:** 3 Flammable liquids
- **Label:** 3

· **ADR/ADN**



- **Class:** 3 (F1) Flammable liquids
- **Label:** 3
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** II
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Warning: Flammable liquids
- **Danger code (Kemler):** 33
- **EMS Number:** F-E,S-D
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **Transport/Additional information:**
- **DOT**
- **Quantity limitations:** On passenger aircraft/rail: 5 L  
On cargo aircraft only: 60 L
- **Remarks:** ERG Guide: 129

(Contd. on page 8)



# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019

Reviewed on 12/04/2018

**Trade Name: Lens Clens #3**

- **ADR/ADN**
- **Excepted quantities (EQ):** Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml

---

- **IMDG**
- **Limited quantities (LQ):** 1L
- **Excepted quantities (EQ):** Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml
- **UN "Model Regulation":** UN 1219 ISOPROPANOL SOLUTION, 3, II

## 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

|  |
|--|
| · <b>Section 355 (extremely hazardous substances):</b> |
| None of the ingredients are listed.                    |

|  |
|--|
| · <b>Section 313 (Specific toxic chemical listings):</b> |
| All ingredients are listed.                              |

|  |
|--|
| · <b>TSCA (Toxic Substances Control Act):</b>      |
| All ingredients are listed or exempt from listing. |

· **California Proposition 65:**

|   |
|---|
| · <b>Chemicals known to cause cancer:</b> |
| None of the ingredients are listed.       |

|  |
|--|
| · <b>Chemicals known to cause reproductive toxicity for females:</b> |
| None of the ingredients are listed.                                  |

|  |
|--|
| · <b>Chemicals known to cause reproductive toxicity for males:</b> |
| None of the ingredients are listed.                                |

|   |
|---|
| · <b>Chemicals known to cause developmental toxicity:</b> |
| None of the ingredients are listed.                       |

- **Carcinogenic categories:**

|   |
|---|
| · <b>EPA (Environmental Protection Agency):</b> |
| None of the ingredients are listed.             |

|  |    |
|--|----|
| · <b>TLV (Threshold Limit Value established by ACGIH):</b> |    |
| 67-63-0 Isopropyl alcohol                                  | A4 |

|  |
|--|
| · <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b> |
| None of the ingredients are listed.  |

- **GHS label elements**  
The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**





## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019

Reviewed on 12/04/2018

**Trade Name: Lens Clens #3**

- **Signal word:** Danger
- **Hazard-determining components of labeling:**  
Isopropyl alcohol
- **Hazard statements:**  
H225 Highly flammable liquid and vapor.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.
- **Precautionary statements:**
  - P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
  - P240 Ground/bond container and receiving equipment.
  - P241 Use explosion-proof electrical/ventilating/lighting/equipment.
  - P242 Use only non-sparking tools.
  - P243 Take precautionary measures against static discharge.
  - P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
  - P264 Wash thoroughly after handling.
  - P271 Use only outdoors or in a well-ventilated area.
  - P280 Wear protective gloves/protective clothing/eye protection/face protection.
  - P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
  - P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
  - P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P312 Call a poison center/doctor if you feel unwell.
  - P337+P313 If eye irritation persists: Get medical advice/attention.
  - P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
  - P403+P233 Store in a well-ventilated place. Keep container tightly closed.
  - P403+P235 Store in a well-ventilated place. Keep cool.
  - P405 Store locked up.
  - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

|                                |
|--------------------------------|
| · <b>National regulations:</b> |
|--------------------------------|

|                                     |
|-------------------------------------|
| None of the ingredients are listed. |
|-------------------------------------|

- |   |
|---|
| · <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out. |
|---|

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- **Date of preparation / last revision:** 01/31/2019 / 5
- **Abbreviations and acronyms:**
  - ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
  - ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
  - IMDG: International Maritime Code for Dangerous Goods
  - DOT: US Department of Transportation
  - IATA: International Air Transport Association
  - ACGIH: American Conference of Governmental Industrial Hygienists
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - NFPA: National Fire Protection Association (USA)
  - HMSI: Hazardous Materials Identification System (USA)
  - VOC: Volatile Organic Compounds (USA, EU)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent

(Contd. on page 10)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/31/2019

Reviewed on 12/04/2018

### Trade Name: Lens Clens #3

PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety and Health  
OSHA: Occupational Safety & Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
BEI: Biological Exposure Limit  
Flam. Liq. 2: Flammable liquids – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106